REMARKS

I. Status of the Claims

Claims 1-88 were originally filed. Claims 6, 20-69, 71, 76-82, and 84 have been canceled. Claims 1-5, 7-19, 70, 72-75, 83, and 85-88 are pending under examination.

Upon entry of the present amendment, claim 5 is amended to recite "wherein the amino acid at position 577 has been substituted by a different amino acid." This amendment does not introduce new matter, since position 577 in SEQ ID NO:20 corresponds to position 208 in SEQ ID NO:2 and position 183 in SEQ ID NO:4 (see Exhibit 1). Claim 13 is amended to add the missing space between "of" and "MTB8.4." Claim 83 is amended to recite an "isolated fusion polypeptide" instead of an "isolated polypeptide encoding a fusion polypeptide." This amendment merely corrects a grammatical error and introduces no new matter.

III. Claim Rejections

A. Double Patenting

Claims 1, 4, 5, and 19 were rejected under the judicially created doctrine of obviousness-type of double patenting over claim 1 of U.S. Patent No. 6,627,198. Applicants respectfully traverse the rejection in light of the present amendment.

Claim 1 of U.S. Patent No. 6,627,198 ("the '198 patent") is drawn to a purified polypeptide comprising the amino acid sequence of SEQ ID NO:26, which is identical to SEQ ID NO:20 of the present application. Following the amendment of November 22, 2004, claim 1 recites "at least one amino acid corresponding to position 183 of SEQ ID NO:4 or position 208 of SEQ ID NO:2 in the MTB32A antigen (SEQ ID NO:2 or 4) has been substituted by a different amino acid." As indicated in Exhibit 1, it is clear that SEQ ID NO:20 of the present invention (or SEQ ID NO:26 of the '198 patent) contains a partial sequence of SEQ ID NO:2 or SEQ ID NO:4, including position 208 of SEQ ID NO:2 or position 183 of SEQ ID NO:4, which is a serine and corresponds to position 577 in SEQ ID NO:20. Thus, the limitation that at least one of these two positions is substituted with a different amino acid requires claim 1 to exclude SEQ

Appl. No. 09/886,349 Amdt. dated May 12, 2005 Reply to Office Action of February 17, 2005

ID NO:20, when position 577 remains a serine. For this reason, claims 1, 4, and 19 are not obvious over claim 1 of the '198 patent.

Upon entry of the present amendment, claim 5 is further amended to recite "wherein the amino acid at position 577 has been substituted by a different amino acid." This newly added limitation explicitly distinguishes the fusion polypeptide in the claimed composition from SEQ ID NO:26 of the '198 patent. Thus, the amended claim 5 is not obvious over claim 1 of the '198 patent.

Accordingly, the withdrawal of the double patenting rejection is respectfully requested.

B. 35 U.S.C. §112, Second Paragraph

The Examiner also rejected claim 83 and 85-87 were rejected under 35 U.S.C. §112, second paragraph, for indefiniteness. Specifically, the Examiner pointed to the language in claim 83 reciting an "isolated polypeptide encoding a fusion polypeptide." Following the present amendment, claim 83 new recites an "isolated fusion polypeptide" in place of the original phrase. Thus, the indefiniteness rejection of claim 83 and its dependent claims is obviated.

III. Claim Objections

Claims 2, 3, and 7-18 were objected to for their dependency from rejected base claims. As discussed above, all claim rejections have now been properly addressed. Thus, the objection of these claims for depending from rejected base claims is moot.

Appl. No. 09/886,349 Amdt. dated May 12, 2005 Reply to Office Action of February 17, 2005

CONCLUSION

In view of the foregoing, Applicants believe all claims now pending in this Application are in condition for allowance. The issuance of a formal Notice of Allowance at an early date is respectfully requested.

If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at 415-576-0200.

Respectfully submitted,

Chuan Gao Reg. No. 54,111

TOWNSEND and TOWNSEND and CREW LLP

Two Embarcadero Center, Eighth Floor San Francisco, California 94111-3834

Tel: 415-576-0200 Fax: 415-576-0300

Attachment (Exhibit 1: SEQ ID NO:2, SEQ ID NO:4, and SEQ ID NO:20, marked up to show

correspondence)

CG:cg 60486599 v1

INFORMATION FOR SEQ ID NO:2:

5	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 355 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear
10	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2: MTB32A (Ra35FL)
10	Met Ser Asn Ser Arg Arg Arg Ser Leu Arg Trp Ser Trp Le

Leu Arg Trp Ser Trp Leu Leu Ser Val Leu Ala Ala Val Gly Leu Gly Leu Ala Thr Ala Pro Ala Gln Ala -Ala Pro Pro Ala Leu Ser Gln Asp Arg Phe Ala Asp Phe Pro Ala Leu Pro Leu Asp Pro Ser Ala Met Val Ala Gln Val Ala Pro Gln Val Val Asn Ile Asn Thr Lys Leu Gly Tyr Asn Asn Ala Val Gly Ala Gly Thr Gly Ile Val Ile Asp Pro Asn Gly Val Val Leu Thr Asn Asn His Val Ile Ala Gly Ala Thr Asp Ile Asn Ala Phe Ser Val Gly Ser Gly Gln Thr Tyr Gly Val Asp Val Val Gly Tyr Asp Arg Thr Gln Asp Val Ala Val Leu Gln Leu Arg Gly Ala Gly Gly Leu Pro Ser Ala Ala Ile Gly Gly Gly Val Ala Val Gly Glu Pro Val Val Ala Met Gly Asn Ser Gly Gly Gln Gly Gly Thr Pro Arg Ala Val Pro Gly Arg Val Val Ala Leu Gly Gln Thr Val Gln Ala Ser Asp Ser Leu Thr Gly Ala Glu Glu Thr Leu Asn Gly Leu Ile Gln Phe Asp Ala Ala Ile Gln Pro Gly Asp (Ser Gly Gly Pro Val Val Asn Gly Leu Gly Gln Val Val Gly Met Asn Thr 210 220
Ala Ala Ser Asp Asn Phe Gln Leu Ser Gln Gly Gln Gly Phe Ala Ile Pro Ìle Gly Gln Ala Met Ala Ile Ala Gly Gln Ile Arg Ser Gly Gly Gly Ser Pro Thr Val His Ile Gly Pro Thr Ala Phe Leu Gly Leu Gly Val Val Asp Asn Asn Gly Asn Gly Ala Arg Val Gln Arg Val Val Gly Ser Ala Pro Ala Ala Ser Leu Gly Ile Ser Thr Gly Asp Val Ile Thr Ala Val Asp Gly Ala Pro Ile Asn Ser Ala Thr Ala Met Ala Asp Ala Leu Asn Gly His His Pro Gly Asp Val Ile Ser Val Asn Trp Gln Thr Lys Ser Gly Gly Thr Arg Thr Gly Asn Val Thr Leu Ala Glu Gly Pro Pro Ala

<213> Ra35 mature <400> SEQ ID NO:4 407 MO: 20

5	Met	His	His	His	His 5	His	His	Ala	Pro	Pro 10	Ala	Leu	Ser	Gln	Asp 15	Arg
	Phe	Ala	Asp	Phe 20	Pro	Ala	Leu	Pro	Leu 25	Asp	Pro	Ser	Ala	Met 30	Val	Ala
10	Gln	.Val	Gly 35	Pro	Gln	Val	Val	Asn 40	Ile	Asn	Thr	Lys	Leu 45	Gly	Tyr	Asn
15	Asn	Ala 50	Val	Gly	Ala	Gly	Thr 55	Gly	Ile	Val	Ile	Asp 60	Pro	Asn	Gly	Val
13	Val 65	Leu	Thr	Asn	Asn	His 70	Val	Ile	Ala	Gly	Ala 75	Thr	Asp	Ile	Asn	Ala 80
20	Phe	Ser	Val	Gly	Ser 85	Gly	Gln	Thr	Туr	Gly 90	Val	Asp	Val	Val	Gly 95	Tyr
	Asp	Arg	Thr	Gln 100	Asp	Val	Ala	Val	Leu 105	Gln	Leu	Arg	Gly	Ala 110	Gly	Gly
25	Leu	Pro	Ser 115	Ala	Ala	Ile	Gly	Gly 120	Gly	Val	Ala	Val	Gly 125	Glu	Pro	Val
30	Val	Ala 130	Met	Gly	Asn	Ser	Gly 135	Gly	Gln	Gly	Gly	Thr 140	Pro	Arg	Ala	Val
	Pro 145	Gly	Arg	Val	Val	Ala 150	Leu	Gly	Gln	Thr	Val 155	Gln	Ala	Ser	Asp	Ser 160
35	Leu	Thr	Gly	Ala	Glu 165	Glu	Thr	Leu	Asn	Gly 170	Leu	Ile	Gln	Phe	Asp 175	Ala
	Ala	Ile	Gln	Pro 180	Gly	Asp	Ser	Gly		Pro 0:70 (Asn	Gly 190	Leu	Gly
40	Gln	Val	Val 195	Gly	Met	Asn	Thr	Ala 200	Ala	Ser	Asp	Asn	Phe 205	Gln	Leu	Ser
45	Gln	Gly 210	Gly	Gln	Gly	Phe	Ala 215	Ile	Pro	Ile	Gly	Gln 220	Ala	Met	Ala	Ile
	Ala 225	Gly	Gln	Ile	Arg	Ser 230	Gly	Gly	Gly	Ser	Pro 235	Thr	Val	His	Ile	Gly 240
50	Pro	Thr	Ala	Phe	Leu 245	Gly	Leu	Gly	Val	Val 250	Asp	Asn	Asn	Gly	Asn 255	Gly
	Ala	Arg	Val	Gln 260	Arg	Val	Val	Gly	Ser 265	Ala	Pro	Ala	Ala	Ser 270	Leu	Gly
55	Ile	Ser	Thr 275	Gly	Asp	Val	Ile	Thr 280	Ala	Val	Asp	Gly	Ala 285	Pro	Ile	Asn
60	Ser	Ala 290	Thr	Ala	Met	Ala	Asp 295	Ala	Leu	Asn	Gly	His 300	His	Pro	Gly	Asp
	Val 305	Ile	Ser	Val	Thr	Trp 310	Gln	Thr	Lys	Ser	Gly 315	Gly	Thr	Arg	Thr	Gly 320
65	Asn	Val	Thr	Leu	Ala	Glu	Gly	Pro	Pro	Ala						

5	<212 <213		RT rtif:			quen							•			
5	<223			_				cial signa	_	Mtb5		-tus:	ıon			
10	His 1	Met	His	His	His 5	His	His	His			Asp	Phe	Gly	Ala	Leu 15	Pro
•	Pro	Glu	Ile	Asn 20	Ser	Ala	Arg	Met	Tyr 25	Ala	Gly	Pro	Gly	Ser 30	Ala	Ser
15	Leu	Val	Ala 35	Ala	Ala	Gln	Met	Trp 40	Asp	Ser	Val	Ala	Ser 45	Asp	Leu	Phe
	Ser	Ala 50	Ala	Ser	Ala	Phe	Gln 55	Ser	Val	Val	Trp	Gly 60	Leu	Thr	Val	Gly
20	Ser 65	Trp		Gly	Ser	Ser 70	Ala	Gly	Leu	Met	Val 75		Ala	Ala	Ser	Pro 80
25	Tyr			Trp	Met 85	Ser	Val	Thr	Ala	Gly 90	Gln	Ala	Glu	Leu	Thr 95	Ala
23	Ala	Gln	Val	Arg 100	Val	Ala	Ala	Ala	Ala 105	Tyr	Glu	Thr	Ala	Tyr 110	Gly	Leu
30	Thr	Val	Pro 115	Pro	Pro	Val	Ile	Ala 120	Glu	Asn	Arg	Ala	Glu 125	Leu	Met	Ile
	Leu	Ile 130	Ala	Thr	Asn	Leu	Leu 135	Gly	Gln	Asn	Thr	Pro 140	Ala	Ile	Ala	Val
35	Asn 145	Glu	Ala	Glu	Tyr	Gly 150	Glu	Met	Trp	Ala	Gln 155	Asp	Ala	Ala	Ala	Met 160
40	Phe	Gly	Tyr	Ala	Ala 165	Ala	Thr	Ala	Thr	Ala 170	Thr	Ala	Thr	Leu	Leu 175	Pro
	Phe	Glu	Glu	Ala 180	Pro	Glu	Met	Thr	Ser 185	Ala	Gly	Gly	Leu	Leu 190	Glu	Gln
45	Ala	Ala	Ala 195	Val	Glu	Glu	Ala	Ser 200	Asp	Thr	Ala	Ala	Ala 205	Asn	Gln	Leu
	Met	Asn 210	Asn	Val	Pro	Gln		Leu					Gln	Pro	Thr	Gln
50	Gly 225	Thr	Thr	Pro	Ser	Ser 230	Lys	Leu	Gly	Gly	Leu 235	Trp	Lys	Thr	Val	Ser 240
	Pro	His	Arg	Ser	Pro 245	Ile	Ser	Asn	Met	Val 250	Ser	Met	Ala	Asn	Asn 255	His
55	Met	Ser	Met	Thr 260	Asn	Ser	Gly	Val	Ser 265	Met	Thr	Asn	Thr	Leu 270	Ser	Ser
60	Met	Leu	Lys 275	Gly	Phe	Ala	Pro	Ala 280		Ala		Gln	Ala 285	Val	Gln	Thr
00	Ala	Ala 290	Gln	Asn	Gly	Val	Arg 295	Ala	Met	Ser	Ser	Leu 300	Gly	Ser	Ser	Leu
65	Gly 305	Ser	Ser	Gly /	Leu	Gly 310	Gly	Gly	Val	Ala	Ala 315	Asn	Leu	Gly	Arg	Ala 320
	Ala	Ser	Val	Gly	Ser 325	Leu	Ser	Val	Pro	Gln 330	Ala	Trp	Ala	Ala	Ala 335	Asn

<210> SEQ ID NO:20

	Gln	Ala	Val	Thr 340	Pro	Ala	Ala	Arg	Ala 345	Leu	Pro	Leu	Thr	Ser 350	Leu	Thr
. 5	Ser	Ala	Ala 355	Glu	Arg	Gly	Pro	Gly 360	Gln	Met	Leu	Gly	Gly 365	Leu	Pro	Val
. 10	Gly	Gln 370	Met	Gly	Ala	Arg	Ala 375	Gly	Gly	Gly	Leu	Ser 380	Gly /i	val /): //		Arg
33`in NO	205			_	Pro	Tyr 390	Val	Met	Pro	His	Ser 395	Pro	Ala		Gly	Asp 400
15					Ala 405	Leu	Ser	Gln	Asp	Arg 410	Phe	Ala	Asp	Phe	Pro 415	Ala
	Leu	Pro	Leu	Asp 420	Pro	Ser	Ala	Met	Val 425	Ala	Gln	Val	Gly	Pro 430	Gln	Val
20	Val	Asn	Ile 435	Asn	Thr	Lys	Leu	Gly 440	Tyr	Asn	Asn	Ala	Val 445	Gly	Ala	Gly
25	Thr	Gly 450	Ile	Val	Ile	Asp	Pro 455	Asn	Gly	Val	Val	Leu 460	Thr	Asn	Asn	His
	Val 465	Ile	Ala	Gly	Ala	Thr 470	Asp	Ile	Asn	Ala	Phe 475	Ser	Val	Gly	Ser	Gly 480
30	Gln	Thr	Tyr	Gly	Val 485	Asp	Val	Val	Gly	Tyr 490	Asp	Arg	Thr	Gln	Asp 495	Val
	Ala	Val	Leu	Gln 500	Leu	Arg	Gly	Ala	Gly 505	Gly	Leu	Pro	Ser	Ala 510	Ala	Ile
35	Gly	Gly	Gly 515	Val	Ala	Val	Gly	Glu 520	Pro	Val	Val	Ala	Met 525	Gly	Asn	Ser
40	Gly	Gly 530	Gln	Gly	Gly	Thr	Pro 535	Arg	Ala	Val	Pro	Gly 540	Arg	Val	Val	Ala
·	Leu 545	Gİy	Gln	Thr	Val	Gln 550	Ala	Ser	Asp	Ser	Leu 555	Thr	Gly	Ala	Glu	Glu 560
45	Thr	Leu	Asn	Gly	Leu 565	Ile	Gln	Phe	Asp	Ala 570	Ala	Ile	Gln	Pro	Gly 575	Asp
(Ser	Gly	Gly	Pro 580	Val	Val	Asn		Leu 585		Gln	Val		Gly 590	Met	Asn
50	Thr	Ala	Ala	Ser		59!	5									
			7	227	eris 1	N	0:	2								

.

THE CONTRACTOR SPECIAL SECURITION OF THE CONTRACTOR OF THE CONTRAC